

NIKOLAI & MERSEREAU, P.A.
900 SECOND AVENUE SOUTH, SUITE 820
MINNEAPOLIS, MN, U.S.A. 55402-3325
Telephone: (612) 339-7461 Facsimile: (612) 349-6556

FACSIMILE TRANSMISSION

RECEIVED
CENTRAL FAX CENTER
OCT 26 2004

TO:

Name: Examiner Mark Bockelman
Firm: USPTO
City: State:

Fax No.: 703-872-9306

Country: USA

FROM:

Name: C. G. Mersereau
NIKOLAI & MERSEREAU, P.A., 900 Second Ave. S., #820, Minneapolis, MN 55402, U.S.A.

Fax No.: (612) 349-6556

DATE: October 26, 2004 **Time:** 3:15 p.m. **TOTAL PAGES incl. cover sheet:** 18

If you do not receive all pages, please call the Telecopier Operator at (612) 339-7461 ASAP.

This fax transmission is confidential and may be privileged and only is intended for use of the addressee. If you are not the addressee (or a person responsible for delivering this transmission to the addressee), do not use this transmission in any way, but promptly contact the telecopier operator by telephone at (612) 339-7461.

Telecopier Operator:

Barbara L. Davis

MESSAGE:

BEST AVAILABLE COPY



INTERNATIONAL CENTRE
900 SECOND AVENUE SOUTH, SUITE 820
MINNEAPOLIS, MINNESOTA 55402-3813
TELEPHONE 612 339-7461
FACSIMILE 612 349-6556

October 26, 2004

Our Docket No. 980457.ORI

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re App : Rodney W. Salo et al.
S.N. : 09/545,536 : Art Unit 3762
Filed : April 7, 2000 : Examiner Mark Bockelman
For : CARDIAC RHYTHM MANAGEMENT
SYSTEM WITH OPTIMIZATION OF
CARDIAC PERFORMANCE USING HEART RATE

Mailstop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Response Under Rule 37 C.F.R. 1.116 in reply to the Final Office Action dated August 26, 2004 and a Terminal Disclaimer in the above-identified patent application.

The Commissioner is hereby authorized to charge any fees listed in 37 CFR 1.16 and 1.17 which may be required by this paper or credit any overpayment to Deposit Account No. 08-1265.

Yours very truly,

NIKOLAI & MERSEREAU, P.A.

C. G. Mersereau

CGM/bld

Enclosures

RECEIVED
CENTRAL FAX CENTER
OCT 26 2004

PATENT APPLICATION

Our Docket No. 980457.ORI

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re App : Rodney W. Salo et al. : October 26, 2004
S.N. : 09/545,536 : Art Unit 3762
Filed : April 7, 2000 : Examiner Mark Bockelman
For : CARDIAC RHYTHM MANAGEMENT
SYSTEM WITH OPTIMIZATION OF
CARDIAC PERFORMANCE USING HEART RATE

AMENDMENT UNDER 37 CFR 1.116

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This paper is submitted in response to a Final Official Action dated August 26, 2004 in the subject application. That Action carried a shortened-statutory period for response of three months, set to expire on November 26, 2004. This paper is being submitted within two months of the mailing date of that Action.

It is noted that pending claims 1-4, 9-10 and 13-19 stand as being provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 20-40 of copending Application No. 09/734,282. It is noted that Serial No. 09/734,282 has now issued as U.S. Patent 6,708,061, which issued on March 16, 2004.

Accordingly, applicants submit herewith a Terminal Disclaimer with respect to Patent 6,708,061. A listing of the claims with present status is also being provided.

It is believed that the Terminal Disclaimer presented herewith places the present claims in condition for allowance and acceptance of the Terminal Disclaimer and allowance of the claims is respectfully requested.

Respectfully submitted,

NIKOLAI & MERSEREAU, P.A.



C. G. Mersereau
Registration No. 26,205
Attorneys for Applicant(s)
820 International Centre
900 Second Avenue South
Minneapolis, MN 55402
(612) 339-7461

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.